


Spatial/STEM:

A Mathematical/Statistical Framework for Understanding and Communicating Map Analysis and Modeling



Part 2) **Spatial Analysis**. Modern digital maps are “numbers first, pictures later.” In *map-ematical* processing, these data can be conceptualized as a set of “**floating maps**” with a common registration that enables the computer to “**look**” **down and across the stack of map layers** to spear or corral sets of numbers for processing. *Spatial Analysis* involves quantitative analysis of the “**spatial context**” of mapped data, such as add, subtract, multiply, divide, exponentiation, root, log, cosine, differentiate and even integrate maps. In addition, the spatial coincidence and juxtaposition of values among and within map layers create new mathematical operations, such as effective distance, optimal path routing, visual exposure density and landscape diversity, shape and pattern.

This PowerPoint with notes and online links to further reading is posted at
www.innovativegis.com/basis/Courses/SpatialSTEM/

Presented by




Joseph K. Berry

Adjunct Faculty in Geosciences, Department of Geography, University of Denver
Adjunct Faculty in Natural Resources, Warner College of Natural Resources, Colorado State University
Principal, Berry & Associates // Spatial Information Systems

Email: jberry@innovativegis.com — Website: www.innovativegis.com/basis


Grid-based Data Structure *(fundamental organizational concepts)*

A **Grid Map** consists of a matrix of numbers with a value indicating the characteristic/condition at each grid cell location—
 ...forming a set of geo-registered **Map Layers** or “**Map Stack**”




The **Analysis Frame** provides consistent “parceling” needed for map analysis and extends discrete Points, Lines and Polygons...

...to continuous **Map Surfaces**



Analysis Frame




Data at [3,22]

Column Name	Value	Units
Latitude	40.348539	
Longitude	-104.032997	
Elevation	500.0	feet
Water	4.0 - Lake	
Slope	0.0	Percent
Aspect	9.0 - Horizontal	
Relief	1.0 - 500-700	
Covertypes	1.0 - Open Water	
Forests	0.0 - Not Forested	
Soils	0.0 - Open Water	
Districts	1.0 - District 1	
Locations	0.0	
Housing	0.0 - No Houses	

Data listing for a
 Map Stack
Drill-down


Grid-based Processing Structure *(data accessing and cyclic processing)*

Local




...collects data on a cell-by-cell basis and reports a single value on a cell-by-cell basis

Focal




...collects data on a neighborhood basis and reports a single value on a cell-by-cell basis

Zonal




...collects data on a region-wide basis and reports summary on a region-wide basis


Global



...collects data on a map-wide basis and reports results on a map-wide or cell-by-cell basis



$$\%Change = ((Old - New) / Old) * 100$$



Each **processing step** is accomplished by requiring—


- 1) **Retrieval** of one or more grid map layers from the map stack
- 2) **Manipulation** of that mapped data by an appropriate math/stat operation,
- 3) **Creation** of an intermediate map layer whose map values are derived as a result of that manipulation, and
- 4) **Storage** of that new map layer back into the map stack for subsequent processing.

...analogous to evaluating “**nested parentheticals**” in traditional algebra, except using **map variables** composed of thousands of spatially organized numbers

Overview of Map Analysis Approaches

(Spatial Analysis and Spatial Statistics)


Traditional GIS



Forest Inventory Map

- Points, Lines, Polygons
- **Discrete Objects**
- Mapping and Geo-query

Spatial Analysis




Elevation (Surface)

- Cells, Surfaces
- **Continuous Geographic Space**
- Contextual Spatial Relationships

Traditional Statistics


Sample	Value	Sample	Value	Sample	Value
1	30.784	34471	11.774	33875	1.0
2	82642	26960	446375	72000	15
3	50362	43480	446170	70100	12
4	92736	68070	446415	70000	9
5	862791	30300	446491	52800	87
6	52086	26230	446527	53700	19
7	52038	13340	446537	52100	26
8	92589	80230	446163	13000	47
9	52032	72180	446122	30700	12
10	92770	68840	446276	39000	13
11	82773	49380	446479	78000	13
12	92729	67070	446471	70000	14
13	52075	27570	446486	48000	4
14	92761	69160	446486	41000	17
15	63019	66230	446478	49000	7
16	92556	66560	446462	27100	8
17	93338	67380	446462	41000	38
18	92616	20230	446462	27100	11
19	92638	66660	446472	54700	3
20	92641	66490	446461	41000	3
21	92596	10300	446477	14700	11
22	92649	76100	446462	31800	8
23	92663	34230	446466	46300	18
24	92690	47380	446508	56900	18
25	92762	46520	446197	74630	5
26	92805	41180	446194	62300	16
27	92827	46620	446275	13730	36
28	92752	26380	446292	83000	14
29	92729	61370	446257	11800	12
30	92626	26930	446256	65000	11



Minimum= 5.4 ppm
 Maximum= 103.0 ppm
 Mean= 22.4 ppm
 StDEV= 15.5

- Mean, StDev (Normal Curve)
- **Central Tendency**
- Typical Response (scalar)

Spatial Statistics




Spatial Distribution (Surface)

- Map of Variance (gradient)
- **Spatial Distribution**
- Numerical Spatial Relationships

...next session

Spatial Analysis Operations (Geographic Context)

GIS as “Technical Tool” (*Where is What*) vs. “**Analytical Tool**” (*Why, So What and What if*)



Spatial Analysis extends the basic set of discrete map features (points, lines and polygons) to map **surfaces** that represent continuous geographic space as a set of contiguous grid cells (matrix), thereby providing a **Mathematical Framework** for *map analysis* and *modeling* of the

Contextual Spatial Relationships within and among grid map layers

Map Analysis Toolbox



✓ Unique spatial operations

Mathematical Perspective:

...let's consider some examples →

Basic GridMath & Map Algebra (+ - * /)

Advanced GridMath (Math, Trig, Logical Functions)

Map Calculus (Spatial Derivative, Spatial Integral)

Map Geometry (Euclidian Proximity, Effective Proximity, Narrowness)


Plane Geometry Connectivity (Optimal Path, Optimal Path Density)

Solid Geometry Connectivity (Viewshed, Visual Exposure)

✓ **Unique Map Analytics** (Contiguity, Size/Shape/Integrity, Masking, Profile)





Calculating Slope and Flow *(Spatial Derivative; Optimal Path Density)*

Inclination of a fitted plane to a location and its eight surrounding elevation values (*Roving Window*)






2418	2406	2393
↖	↔	↗
2409	2395	2381
↙	↓	↘
2383	2373	2356

Slope $(47,64) = 33.23\%$




Slope map

Flow $(28,46) = 451$ Paths





Total number of the steepest downhill paths flowing into each location (*Distance*)



Deriving Erosion Potential *(terrain slope and surface flow)*

Protective Buffers


...protect the fish from sediment loading by regulating adverse activity "setbacks" around spawning streams



...simple distance buffers
"as the crow flies"

Erosion Potential

But all buffer-feet are not the same...
"as the crow walks"




Calculating Effective Distance (variable-width buffers)

Distance away from the streams is a function of the erosion potential (Flow/Slope Class)

...with intervening heavy flow and steep slopes computed as effectively closer than simple distance

“as the crow walks”



...respecting relative and absolute barriers to movement



Splash Algorithm

...propagating distance waves respond to intervening conditions (relative /absolute barriers)


Simple Buffers



Variable-Width Buffers *(Simple vs. Effective “clipped and uphill”)*



Spatial Analysis:

Basic GridMath & Map Algebra
Advanced GridMath
Map Calculus
Map Geometry
Plane Geometry Connectivity
Solid Geometry Connectivity
Unique Map Analytics




Simple Buffer – “as-the-crow-flies” proximity to the road; no absolute or relative barriers are considered; dark blue line indicates the full simple buffer reach (polygon)

Clipped Buffer – simple proximity for just land areas




Uphill Buffer – simple proximity to the road for just the areas that are uphill from the road; absolute barrier (uphill only– absolutely no downhill steps)





Calculating Travel-time *(Euclidian Proximity, Effective Proximity)*

A store's **Simple Proximity** identifies “rings” of increasing geometric distance — “concentric circles”



A store's **Travelshed** identifies the relative driving time from every location to the store — analogous to a “watershed”



Relative scale:
1 = .05 minutes

OUR STORE ...close to the store (blue)

Splash Algorithm



...propagating distance waves respond to intervening conditions (relative/absolute barriers)

Spatial Analysis:

Basic GridMath & Map Algebra

Advanced GridMath

Map Calculus


Map Geometry

Plane Geometry Connectivity


Solid Geometry Connectivity

Unique Map Analytics


Travel-Time for Competitor Stores *(Euclidian Proximity, Effective Proximity)*



Our Store (#111)




Competitor 1




Competitor 2


Competitor 3



Competitor 4



Competitor 5




Travel-Time surfaces from several stores
treating highway travel as four times faster than city streets

Blue tones indicate locations that are close to a store (estimated twelve minute drive or less).

Customer data can be appended with travel-time distances and analyzed for spatial relationships in sales and demographic factors.

Travel-Time Surfaces (Our Store & Competitor #4)

Blue tones indicate locations that are close to a store (estimated twelve minute drive or less). Increasingly warmer tones form an ever increasing **bowl-like gradient** (accumulation surface) with larger travel-time values identifying locations that are farther away.



Competition Map (Combat Zone between Our Store & Competitor #4)

The travel-time surfaces for two stores can be compared (subtracted) to identify the **relative access advantages** throughout the project area.

Zero values indicate the same travel-time to both stores (equidistant travel-time)
 ...yellow identifies the Combat Zone ; green Our Store advantage; red Competitor #4 advantage

Spatial Analysis:

Basic GridMath & Map Algebra

Advanced GridMath


Map Calculus

Map Geometry

Plane Geometry Connectivity

Solid Geometry Connectivity

Unique Map Analytics



(See "Location, Location, Location: Retail Sales Competition Analysis," posted at www.innovativegis.com/basis/present/GW06_retail/GW06_Retail.htm)

Map Geometry & Connectivity Techniques *(Travel-time and Optimal Path)*



Step 1) Establish **off-road hiking friction** that considers the relative ease of hiking through various cover types (in minutes/cell) as 2= meadow, 5= forest relative barriers and 0= open water (absolute barrier)

Step 2) Establish **on-road bicycling** friction as 1= easiest with 0= all non-road areas

Step 3) **Combine** the on- and off-road friction maps such that the on-road friction takes precedent
<Friction Map>


Step 4) **Isolate** the starting location (ranch)

Step 5) **Derive** the effective proximity (Travel-time) from the Ranch to everywhere in the project area
<Accumulation Surface>




...steps 1-3) **Friction Map**— identifies the relative ease of travel through each map location (grid cell).

Optimal Corridor Analysis— adding two effective proximity surfaces (start and end) identifies the optimal path as the minimum value and all other values as the added “opportunity cost” of forcing a route through any location in the project area.




...steps 4-5) **Accumulation Surface**— identifies the Travel-time (eProximity) from the Ranch to everywhere.



Accumulation Surface— identifies the **Optimal Path** (shortest/quickest route) from a location back to the ranch. The “steepest downhill path” retraces the effective distance wavefront that got there first.


Optimal Path/Corridor Analysis *(minimize detection/risk model)*



Spatial Analysis:

- Basic GridMath & Map Algebra
- Advanced GridMath
- Map Calculus
- Map Geometry
- Plane Geometry Connectivity
- Solid Geometry Connectivity
- Unique Map Analytics

“...GIS optimized flight routing plans that **minimize helicopter susceptibility to detection** (maximize capability to avoid threats).”



...figures from “Susceptibility Modeling and Mission Flight Route Optimization in a Low Threat, Combat Environment” by USAF Lt. Colonel Brett J. Machovina, June 2010, doctoral dissertation, University of Denver

Map Geometry *(Simple Euclidian and Effective Proximity)*


Basic Operations (Static)

- ✓ **Simple Proximity** as the “crow flies” counting cell lengths as it moves out as a wave front
- ✓ **Effective Proximity** as the “crow walks” in not necessarily in straight lines that respect absolute/ relative impedance to movement

Operation Specifications

- ✓ **Null** identifies a “Thru” surface value identifying ignored locations
- ✓ **To** indicates maximum distance of movement
- ✓ **Thru** map identifying the relative/absolute impedance (discrete cost)
- ✓ **Over** respects movement Uphill, Downhill or Across a specified surface map considering a “guiding surface” such as Elevation
- ✓ **Simply** starts “counting” simple/effective movement from 1
- ✓ **Explicitly** starts “counting” from the grid location’s value thereby creating a “stepped accumulation surface”
- ✓ **Weighted** the starter cell’s value is used as an additional weight to generate a “gravity model” solution
- ✓ **Back Link** stores a starter ID# identifying the closest starter location)

*Spread operation
in MapCalc Learner*



*EucDistance operation
CostDistance operation
in Spatial Analyst have similar capabilities*

Advanced Operations (Dynamic)


- ✓ **Accumulation** (Total accumulated movement in #cells)
- ✓ **Momentum** (Net accumulated movement considering increases/decreases in speed)
- ✓ **Direction** (Look-up table determining the effective impedance as a function movement direction, such as uphill or downhill slopes)

www.innovativegis.com/basis/MapAnalysis/Topic25/Topic25.htm

Beyond Mapping III

Topic 25: Calculating Effective Distance and Connectivity

Calculating Visual Connectivity *(sequentially assessing the tangent)*



...like proximity, **Visual Connectivity** starts somewhere (starter cell) and moves through geographic space by steps (wave front) noting if the ratio of rise in elevation versus the distance away (**tangent**) is greater than any of the previous ratios, the location is marked as seen


Splash Algorithm

...propagating tangent waves carrying the "rise to run" ratio (tangent)



Spatial Analysis:

- Basic GridMath & Map Algebra
- Advanced GridMath
- Map Calculus
- Map Geometry
- Plane Geometry Connectivity
- Solid Geometry Connectivity
- Unique Map Analytics



Viewshed

Binary Map at least one viewer location "sees" a map location (**binary** seen or not seen)

Visual Exposure


Density Surface – counts the number of "viewers" that see each map location (**relative density**)

Weighted Density surface – adds the viewer cell value (**relative importance**)

Variable-Width Buffers (line-of-sight connectivity)



Spatial Analysis:

- Basic GridMath & Map Algebra
- Advanced GridMath
- Map Calculus
- Map Geometry
- Plane Geometry Connectivity
- Solid Geometry Connectivity
- Unique Map Analytics



Line-of-Sight Buffer– identifies land locations within 250m that can be seen from the road...


250m “viewshed” of the road



Line-of-Sight Exposure– notes the number of times each location in the buffer is seen


Line-of-Sight Noise– locations hidden behind a ridge or farther away from a source (road) “hear” greatly reduced noise levels
... $1/D^2$ decay function

Compute **Exposure_Map * Noise_map** for a relative **Noise Irritability Index**



Decibels 9.2
92.0

Visual Exposure Analysis *(visual vulnerability and aesthetic maps)*




Weighted Visual Exposure map for an ongoing visual assessment in a national recreation area. The project developed visual vulnerability maps from the reservoir and a major highway (viewer locations) running through the area.


In addition, an **Aesthetic Map** was generated based on overall visual exposure to pretty and ugly places.

(Senior Honors Thesis by University of Denver Geography student Chris Martin, 2003)


Spatially Accessing Relevant Images *(Back Azimuth and FOV)*






User identifies a location of interest...then specifies a **buffer distance** ...and the images meeting the query are listed.



The direction to the imagery locations must be considered ...with respect to the direction of the camera's optical axis and field of view.




The **Back azimuths** for the camera locations ...are compared with the **optical axis/field of view** to determine if the camera is pointed toward the query point. Candidate imagery not oriented toward the query point are eliminated.



...**click**— and the set of potential images and video are filtered for those that are...

- 1) within a **specified distance**,
- 2) oriented **toward the QPoint**
- 3) and **visually connected** to the Query Point.

“... an automated means for **identifying images viewing a location** through database and geo-queries greatly assists in accessing relevant images”



The **viewshed from the query point** is calculated considering intervening terrain and cover type and the height of the camera platform. Candidate imagery not within the viewshed are eliminated.

Solid Geometry Connectivity *(Viewshed, Visual Exposure)*

Basic and Advanced Operations

www.innovativegis.com/basis/MapAnalysis/Topic15/Topic15.htm

Beyond Mapping III


Topic 15: Deriving and Using Visual Exposure Maps

- ✓ **Viewshed** marks each location that is seen from at least one “viewer” cell (binary map of seen/not seen)
- ✓ **Visual Exposure** generates a “density surface” indicating the number of viewer locations (count) that see each grid location (relative density)
- ✓ **Weighted Visual Exposure** a “density surface” of the total (sum) of the viewer weights (relative importance)
- ✓ **Net-Weighted Visual Exposure** a “density surface” indicating the net viewer weight (arithmetic sum) by respecting the sign of the weights (aesthetic surface where pretty= positive weight and ugly= negative)

Operation Specifications

- ✓ **Over** identifies the visual barrier surface (usually Elevation)
- ✓ **To** indicates maximum viewing distance
- ✓ **At** identifies the viewer height above the terrain surface
- ✓ **Null** identifies an “Over” surface value indicating locations to be ignored
- ✓ **Opacity** uses a decay function to represent reduced visibility
- ✓ **Thru** an additional “blocking surface containing cells that block any line of sight, such as forest canopy
- ✓ **Onto** map containing values reflecting the height of features above the surface map, such as smokestacks that can be seen but not blocking
- ✓ **Simply** identifies all locations that are seen at least once (binary)
- ✓ **Completely** counts the number of “viewer” cells connected (VE)
- ✓ **Weighted** adds the connected viewer cell value (wVE and net wVE)
- ✓ **Degrees** identifies the maximum prominence angle of connected viewer cells


Radiate operation in MapCalc Learner



Viewshed operation in Spatial Analyst has similar capabilities

Spatial Analysis Operations *(Geographic Context)*

GIS as “Technical Tool” (*Where is What*) vs. “Analytical Tool” (*Why, So What and What if*)



Spatial Analysis extends the basic set of discrete map features (points, lines and polygons) to map surfaces that represent continuous geographic space as a set of contiguous grid cells, and thereby provides a mathematical/statistical framework for *analyzing* and *modeling* the

Contextual Spatial Relationships

within and among grid map layers

Map Analysis Toolbox



Mathematical Perspective:

Basic GridMath & Map Algebra (+ - * /)

Advanced GridMath (Math, Trig, Logical Functions)

Map Calculus (Spatial Derivative, Spatial Integral)

Map Geometry (Euclidian Proximity, Effective Proximity, Narrowness)

Plane Geometry Connectivity (Optimal Path, Optimal Path Density)

Solid Geometry Connectivity (Viewshed, Visual Exposure)

✓ **Unique Map Analytics** (Contiguity, Size/Shape/Integrity, Masking, Profile)

...discussion focused on these distance related groups of operations as they are least understood by the STEM disciplines — see [reading references](#) for more information on all of the operations