SpatialSTEM:

A Mathematical/Statistical Framework for Understanding and Communicating Map Analysis and Modeling



Part 2) **Spatial Analysis**. Modern digital maps are "numbers first, pictures later." In map-*ematical* processing, these data can be conceptualized as a set of "**floating maps**" with a common registration that enables the computer to "**look**" down and across the stack of map layers to spear or corral sets of numbers for processing. <u>Spatial Analysis</u> involves quantitative analysis of the "**spatial context**" of mapped data, such as add, subtract, multiply, divide, exponentiation, root, log, cosine, differentiate and even integrate maps. In addition, the spatial coincidence and juxtaposition of values among and within map layers create new mathematical operations, such as effective distance, optimal path routing, visual exposure density and landscape diversity, shape and pattern.

This PowerPoint with notes and online links to further reading is posted at www.innovativegis.com/basis/Workshops/NGA2015/

Presented by

Joseph K. Berry

Adjunct Faculty in Geosciences, Department of Geography, University of Denver Adjunct Faculty in Natural Resources, Warner College of Natural Resources, Colorado State University Principal, Berry & Associates // Spatial Information Systems

Email: jberry@innovativegis.com – Website: www.innovativegis.com/basis

Vector vs. Raster Data Forms (analytical perspective)



Mapping/Geo-Query (Discrete, Spatial Objects)

Where – a <u>Spatial Table</u> contains X,Y coordinates delineating the location of each point, line and polygon boundary
What – a linked <u>Attribute Table</u> contains text/values indicating the classification of each spatial object

															1 Open Water									
1	1	1	1	1	1	1	1	1	1	1	2	3	3	3	3	3	3	3	3	3	3	3	3	3
1	1	1	1	1	1	1	1	1	1	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3
1	1	1	1	1	1	1	1	1	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3
1	1	1	1	1	1	1	1	1	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3
1	1	1	1	1	1	1	1	1	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3
1	1	1	1	1	1	1	1	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3
1	1	1	1	1	1	1	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
1	1	1	1	1	1	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
1	1	1	1	1	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
1	1	1	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
1	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
2	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
2	2	2	2	2	2	2	2	2	2	2	3	3	3	3	3	2	3	3	3	3	3	3	3	3
2	2	2	2	2	2	2	2	2	2	2	3	3	3	3	2	2	2	3	3	3	3	3	3	3
2	2	2	2	2	2	2	2	2	2	2	2	3	3	3	2	2	3	3	3	3	3	3	3	3
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3
2	2	2	2	2	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3
2	2	2	2	2	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3
2	2	2	2	3	3	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3
2	2	2	1	1	3	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3
2	2	3	3	1	3	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3
2	2	2	3	1	3	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3
2	2	2	3	3	3	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3
2	2	2	2	3	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3

Raster (Grid Matrix)

(Continuous, Map Surfaces)

Map Analysis/Modeling

3 Forest 2 Meadow

Where – <u>Cell Position</u> in the matrix determines location within a continuous, regular grid What – Cell Value in the matrix indicates the classificatio

What – <u>Cell Value</u> in the matrix indicates the classification at that location

...grid-based mapped data is "Preconditioned for Analysis" as all spatial topology is inherent in the matrix

Grid-based Data Structure (fundamental organizational concepts)



Grid-based Processing Structure (data accessing and cyclic processing)



Overview of Map Analysis Approaches

(Spatial Analysis and Spatial Statistics)



Spatial Analysis Operations (Geographic Context)

GIS as "Technical Tool" (Where is What) vs. "Analytical Tool" (Why, So What and What if)



Spatial Analysis extends the basic set of discrete map features (points, lines and polygons) to map **surfaces** that represent continuous geographic space as a set of contiguous grid cells (matrix), thereby providing a **Mathematical Framework** for *map analysis* and *modeling* of the

Contextual Spatial Relationships within and among grid map layers

Map Analysis Toolbox



 Unique spatial operations

Mathematical Perspective: ...let's consider some examples ->

Basic GridMath & Map Algebra (+ - * /) Advanced GridMath (Math, Trig, Logical Functions) Map Calculus (Spatial Derivative, Spatial Integral) Map Geometry (Euclidian Proximity, Effective Proximity, Narrowness) Plane Geometry Connectivity (Optimal Path, Optimal Path Density) Solid Geometry Connectivity (Viewshed, Visual Exposure) Unique Map Analytics (Contiguity, Size/Shape/Integrity, Masking, Profile)

Spatial Analysis Operations (Math Examples ...<u>review</u> from "Future Directions" seminar) The Spatial Derivative identifies the localized inclination (slope) and orientation (aspect) at every grid cell on a map surface. Spatial Analyst commands Slope and Aspect. Advanced Grid Math applies mathematical operations (add, subtract, multiply, divide, power, log, cosine, Boolean AND, Bitwise AND, etc.). Spatial Analyst commands Math and Map Algebra toolsets. The **Spatial Integral** calculates the volume (or other statistical summary) for an area. Spatial Analyst Zonal Statistics commands. Spatial Analysis Operations (Math Examples) Advanced Grid Math — Math, Trig, Logical Functions Map Calculus - Spatial Derivative, Spatial Integral Spatial Derivative MapSurface 2500' ... is equivalent to the slope The **derivative** is the of the tangent plane at a $v = e^x$ instantaneous "rate of location change" of a function and Slope draped over is equivalent to the slope Surface MapSurface Fitted Plane of the tangent line at <u>a po</u>int SLOPE MapSurface Fitted Curve FOR MapSurface_slope D₇xy Elevation J Districts_Average Elevation Spatial Integral **Advanced Grid Math** Template Mag ...summarizes the values on a Horizonta Tilted surface for specified map areas Surface Area (Total= volume under the surface) ...increases with increasing inclination COMPOSITE Districts WITH MapSurface as a Trig function of Average FOR MapSurface_Davg the cosine of the slope S_Area= MapSurface Davg angle Fn(Slope) S_area= cellsize / cos(D_xy Elevation) 2176 y = fn(x)1099 Surface The integral calculates the f(x)dx 1080 area under the curve for any Curve (24) section of a function. (Berry)

Spatial Analysis Operations (Distance Examples ... review from "Future Directions" seminar)

Distance, Proximity and Movement <u>Distance</u> identifies "shortest straight line between two points"; <u>Proximity</u> relaxes 2P (**s**, **s**L, 2P) <u>Movement</u> relaxes SL (**s**, sL, 2P) considering intervening absolute and relative barriers. *Spatial Analyst* commands <u>Euclidean Distance</u> and <u>Cost Distance</u>.

Optimal Path identifies the "shortest not-necessary-straight route". Spatial Analyst command Cost Path.

Visual Connectivity identifies cells visually connected to an observer location (Viewshed) or the number of cells (Visual Exposure). *Spatial Analyst* command <u>Viewshed</u>.



Video of "Future Directions in Map Analysis and Modeling" seminar can be viewed at https://www.youtube.com/watch?v=YA-mGpc20vc

Spatial Analysis Operations (Travel-time Surface backcountry emergency response)



Movement ...around and through absolute and relative barriers

(click) ...animated time steps in construction of a Travel-time Surface

On- and Off-road Emergency Response (within 95.0 minutes)

Minimum travel-time considering on- and off-road travel by truck, ATV and hiking...



On- and Off-road Emergency Response (Least Cost Path)

... like a raindrop, the "Steepest Downhill Path" identifies the <u>optimal route</u> (Quickest Path) as it traces the shortest but not-necessarily-straight route the accumulated travel-time wavefront took in reaching the end location.



This procedure, termed Least Cost Path analysis, is a generalized map-*ematical* technique that can be applied to most routing applications. For example, in routing a proposed electric transmission line, 1) engineering, environmental, legal, land use, political and other information are translated into absolute and relative costs (suitability of conditions), then 2) an accumulated cost surface is generated, and finally 3) the optimal path identified.

Identifying all of the nearly optimal paths (<u>N[®] optimal paths</u>) generates a Least Cost Corridor of best locations for identifying and assessing alternative routes.

Travel-time Surface (accumulated movement)

Least Cost Path (optimal movement)

(Berry)

Calculating Slope and Flow (Spatial Derivative; Optimal Path Density)



Flow map

Deriving Erosion Potential (terrain slope and surface flow)

Protective Buffers



Calculating Effective Distance (variable-width buffers)



Variable-Width Buffers (Simple vs. Effective "clipped and uphill")



Calculating Travel-time (Euclidian Proximity, Effective Proximity)



Travel-Time for Competitor Stores (Euclidian Proximity, Effective Proximity)



Travel-Time surfaces from several stores treating highway travel as four times faster than city streets

Blue tones indicate locations that are close to a store (estimated twelve minute drive or less).

Customer data can be appended with travel-time distances and analyzed for spatial relationships in sales and demographic factors.

Travel-Time Surfaces (Our Store & Competitor #4)

Blue tones indicate locations that are close to a store (estimated twelve minute drive or less). Increasingly warmer tones form an ever increasing **bowl-like gradient** (accumulation surface) with larger travel-time values identifying locations that are farther away.



Competition Map (Combat Zone between Our Store & Competitor #4)

The travel-time surfaces for two stores can be compared (<u>subtracted</u>) to Identify the **relative access advantages** throughout the project area.

Zero values indicate the same travel-time to both stores (equidistant travel-time) ...yellow identifies the <u>Combat Zone</u> ; green Our Store advantage; red Competitor #4 advantage



(See "Location, Location, Location: Retail Sales Competition Analysis," posted at www.innovativegis.com/basis/present/GW06_retail/GW06_Retail.htm)

Spatial Analysis:

Basic GridMath & Map Algebra

Advanced GridMath Map Calculus Map Geometry

Plane Geometry Connectivity

Solid Geometry Connectivity

Optimal Path/Corridor Analysis (minimize detection/risk model)



Discrete Cost Surface sub-models → Utilize additional base map layers, such as Night Lights, Population, Roads, Topography, Vegetation, etc. are used for the other



Spatial Analysis:

Helicopter Performance

Basic GridMath & Map Algebra Advanced GridMath Map Calculus Map Geometry Plane Geometry Connectivity Solid Geometry Connectivity Unique Map Analytics

"...GIS optimized flight routing plans that minimize helicopter susceptibility to detection (maximize capability to avoid threats)..."



(Minimizes Susceptibility of Detection)

Avoid HIGH

Study Area 4

Total Susceptibility Discrete **Cost Surface**

Legend

Origin

Target

1 - Low

5 - Med

9 10 - High

7 8



...figures from "Susceptibility Modeling and Mission Flight Route Optimization in a Low Threat, Combat Environment" by USAF Lt. Colonel Brett J. Machovina, June 2010, doctoral dissertation, University of Denver

Map Geometry (Simple Euclidian and Effective Proximity)

Basic Operations (Static)

✓ **Simple Proximity** as the "crow flies" counting <u>cell lengths</u> as it moves out as a wave front

✓ Effective Proximity as the "crow walks" in not necessarily in straight lines that respect <u>absolute/ relative</u> impedance to movement

Operation Specifications

- ✓ **Null** identifies a "Thru" surface value identifying ignored locations
- ✓ To indicates maximum distance of movement ·
- Thru map identifying the relative/absolute impedance (discrete cost)

✓ **Over** respects movement <u>Uphill, Downhill or Across</u> a specified surface map considering a "guiding surface" such as Elevation

✓ Simply starts "counting" simple/effective movement from 1

Explicitly starts "counting" from the grid location's value thereby creating a "stepped accumulation surface"

✓ Weighted the starter cell's value is used as an additional weight to generate a "gravity model" solution

✓ Back Link stores a starter ID# identifying the closest starter location)

Advanced Operations (Dynamic)

✓ Accumulation (Total accumulated movement in #cells)

✓ **Momentum** (<u>Net accumulated</u> movement considering increases/decreases in speed)

✓ **Direction** (Look-up table determining the effective impedance as a function movement direction, such as uphill or downhill slopes)



Spread operation

Beyond Mapping IV

Topic 2 – Extending Effective Distance Procedures

www.innovativegis.com/basis/BeyondMappingSeries/Beyondmapping_IV/

<u>EucDistance</u> operation <u>CostDistance</u> operation in **Spatial Analyst** have similar capabilities

Calculating Visual Connectivity (sequentially assessing the tangent)



...like proximity, Visual Connectivity starts somewhere (starter cell) and moves through geographic space by steps (wave front) noting if the <u>ratio of rise in elevation</u> <u>versus the distance away</u> (tangent) is greater than any of the previous ratios, the location is <u>marked as seen</u>



Splash Algorithm

...propagating tangent waves carrying the "rise to run" ratio (tangent)



<u>Spatial Analysis</u>: Basic GridMath & Map Algebra Advanced GridMath Map Calculus Map Geometry Plane Geometry Connectivity Solid Geometry Connectivity Unique Map Analytics

Viewshed

Binary Map at least one viewer location "sees" a map location (binary seen or not seen)

Visual Exposure

Density Surface – counts the number of "viewers" that see each map location (relative density)

Weighted Density surface – adds the viewer cell value (relative importance)

Variable-Width Buffers (line-of-sight connectivity)



Visual Exposure Analysis (visual vulnerability and aesthetic maps)



(Senior Honors Thesis by University of Denver Geography student Chris Martin, 2003)

Weighted Visual Exposure map for an ongoing visual assessment in a national recreation area. The project developed visual vulnerability maps from the <u>reservoir</u> and a major <u>highway</u> (viewer locations) running through the area.

> In addition, an Aesthetic Map was generated based on overall visual <u>exposure to pretty</u> <u>and ugly places</u>.

Spatially Accessing Relevant Images (Back Azimuth and FOV)



User identifies a <u>location of interest</u>...then specifies a **buffer distance** ...and the <u>images meeting the query are listed</u>.



The <u>direction to the imagery locations</u> must be considered ...with respect to the <u>direction of the</u> **camera's optical axis** and field of view.



The **Back azimuths** for the <u>camera locations</u> ...are compared with the **optical axis/field of view** to determine if the camera is pointed toward the query point. Candidate imagery not oriented toward the query point are eliminated.



....*click*– and the set of potential images and video are filtered for those that are...

 within a specified distance,
oriented toward the QPoint
and <u>visually connected</u> to the Query Point.

"... an automated means for identifying images viewing a location

through database and geoqueries greatly assists in accessing relevant images"



The **viewshed from the query point** is calculated considering <u>intervening terrain and cover type</u> and the <u>height of the camera platform</u>. Candidate imagery not within the viewshed are eliminated.

Solid Geometry Connectivity (Viewshed, Visual Exposure)

Basic and Advanced Operations

- Viewshed marks each location that is seen from at least one "viewer" cell (binary map of seen/not seen)
- ✓ **Visual Exposure** generates a "density surface" indicating the number of viewer locations (count) that see each grid location (relative density)
- ✓ Weighted Visual Exposure a "density surface" of the total (sum) of the viewer weights (relative importance)
- ✓ **Net-Weighted Visual Exposure** a "density surface" indicating the net viewer weight (arithmetic sum) by respecting the sign of the weights (aesthetic surface where pretty= positive weight and ugly= negative)

in MapCalc Learner **Operation Specifications** 🏊 Radiate Roads Radiate Ŧ **Over** identifies the visual barrier surface (usually Elevation) -Over Elevation ▼ ✓ To indicates maximum viewing distance – 500 Τo Ŧ 5 At indentifies the viewer height above the terrain surface Ał Ŧ <ViewerHeight> Null • Null identifies an "Over" surface value indicating locations to be ignored Thru <ScreenHeights> ✓ **Opacity** uses a decay function to represent reduced visibility Onto <TargetHeights> ✓ **Thru** an additional "blocking surface containing cells that block Simply Select Completely any line of sight, such as forest canopy Weighted Degrees **Onto** map containing values reflecting the height of features above Roads_simpleViewshed For the surface map, such as smokestacks that can be seen but not blocking RADIATE Roads OVER Elevation TO 500 AT 5 **Simply** identifies all locations that are seen at least once (binary) NULLVALUE 0 Simply FOR Roads simpleViewshed Completely counts the number of "viewer" cells connected (VE) ΟK Cancel Help Weighted adds the connected viewer cell value (wVE and net wVE) Viewshed operation **Degrees** identifies the maximum prominence angle of connected viewer cells

Topic 5 – Calculating Visual Exposure

Radiate operation

www.innovativegis.com/basis/BeyondMappingSeries/Beyondmapping III/

Beyond Mapping III

in Spatial Analyst has similar capabilities

Spatial Analysis Operations (Geographic Context)

GIS as "Technical Tool" (Where is What) vs. "Analytical Tool" (Why, So What and What if)



Spatial Analysis extends the basic set of discrete map features (points, lines and polygons) to <u>map surfaces that represent continuous geographic space as a set of contiguous grid cells</u>, and thereby provides a mathematical/statistical framework for *analyzing* and *modeling* the

Contextual Spatial Relationships

within and among grid map layers

Map Analysis Toolbox



Mathematical Perspective:

Basic GridMath & Map Algebra (+ - * /) Advanced GridMath (Math, Trig, Logical Functions) Map Calculus (Spatial Derivative, Spatial Integral)

Map Geometry (Euclidian Proximity, Effective Proximity, Narrowness) Plane Geometry Connectivity (Optimal Path, Optimal Path Density) Solid Geometry Connectivity (Viewshed, Visual Exposure)

Unique Map Analytics (Contiguity, Size/Shape/Integrity, Masking, Profile)

...Part 2 discussion

distance related groups

are least understood by the STEM disciplines —

see <u>reading references</u> for more information on

all of the operations

of operations as they

focused on these